

---

## Bicycle – Normal operation procedures (crew)

**Extension:** SF518 /CE0701  
**DMC:** S1000DBIKE-AAA-D00-00-00-00AA-131A-A  
**Language:** en/US  
**Issue No.:** 008  
**Issue Date:** 2012-12-31  
**Title:** Bicycle – Normal operation procedures (crew)

### Instance Identification

**DMC:** S1000DBIKE-AAA-D00-00-00-00AA-131A-A  
**Language:** en/US  
**Issue No.:** 008

**Security Classification:** UNCLASSIFIED

### Data Restrictions

**Distribution:** To be made available to all S1000D users.  
**Export Control:** Export of this data module to all countries that are the residence of organizations that are users of S1000D is permitted. Storage of this data module is to be at the discretion of the organization.  
**Handling:** There are no specific handling instructions for this data module.  
**Destruction:** Users may destroy this data module in accordance with their own local procedures.  
**Disclosure:** There are no dissemination limitations that apply to this data module.  
**Copyright:** **Copyright (C) 2013** by each of the following organizations:

- AeroSpace and Defence Industries Associations of Europe - ASD.
- Ministries of Defence of the member countries of ASD.

### Limitations of Liability:

- This material is provided "As Is" and neither ASD nor any person who has contributed to the creation, revision or maintenance of the material makes any representations or warranties, express or implied, including but not limited to, warranties of merchantability or fitness for any particular purpose.
- Neither ASD nor any person who has contributed to the creation, revision or maintenance of this material shall be liable for any direct, indirect, special or consequential damages or any other liability arising from any use of this material.
- Revisions to this document may occur after its issuance. The user is responsible for determining if revisions to the material contained in this document have occurred and are applicable.

**Policy reference:** TPMSG TOR 001

**Conditions:** There are no known conditions that would change the data restrictions for, or security classification of, this data module.

---

**Responsible partner company:** UK MoD /U8025

**Originator:** UK MoD /U8025

**Applicability cross-reference table reference:** [S1000DBIKE-AAA-D00-00-00-00AA-00WA-D](#)

**Applicability:** Mountain bicycle and Brook trekker Mk9

**Technical standard:** **Authority information:** 20010131  
**Authority baseline:** Bike book  
**Authority exceptions:**  
**Authority notes:**

**Brex data module reference:** [S1000DBIKE-AAA-D00-00-00-00AA-022A-D](#)

**QA:** First verification Cleared Table Top

**System breakdown code:** BY

**Skill level:** Basic

**Reason for updating:** schema cleanup  
element/attribute renaming

**Remarks:** Caption color "blue" is not in the list of S1000D interpreted values. Has been set to "co51".

## Bicycle

### *Normal operation procedures (crew)*

#### Table of contents

	Page
Normal operation procedures (crew) .....	1
References .....	1

#### List of tables

1	References .....	1
2	Correlation of tire pressure and terrain .....	2

### *References*

*Table 1 References*

Data module / Technical publication	Title
None	

### *Pre-ride inspection*

#### Brakes

##### **Pads**

- 1 Pads..... Free of unwanted material
- 2 Pads..... Acceptable pad width
- 3 Pads..... Acceptable pad clearance

##### **Callipers**

- 1 Link Wire..... Firmly attached

##### **Levers**

- 1 Levers..... Approximately 1 inch of travel before engagement
- 2 Levers..... Space between lever and handlebar when fully pulled

##### **Cables**

- 1 Cables..... No cuts or fraying

**Tires**

- 1 Pressure..... *Table 2 Correlation of tire pressure and terrain*

<b>Tire Pressures</b>	<b>Min</b>	<b>Max</b>
Off Road	35lbs	40lbs
On Road	55lbs	60lbs

- 2 Tires..... No cracks or splits

**Wheels**

- 1 Wheels..... No loose bearings
- 2 Wheels..... True
- 3 Spokes..... Not broken

*If: Spokes not broken*

- 4 Spokes..... Tight
- 5 Axle Nuts..... Tight

**Headset**

- 1 Headset bearings..... Tight

**Chain**

- 1 Links..... Easy movement of links

**Handlebar**



*If: Stem cracked*

- 1 Procedure  
Replace stem

*Else if: Stem is loose*

- 1 Procedure  
Tighten stem

*If: Handlebars twist in stem*

- 2 Procedure  
Tighten clamp bolt

---

## Computer

1 Computer Display..... **Applicable to: Brook trekker Mk9**

SPEED	0 mph
DISTANCE	0 miles

